






3V-40V Vin, 500mA, Ultra-Low Quiescent Current LDO with Power-Good



			5A00		
			F50B		
			F33B		
			5F50		
			5F33		
			F50A		











PARAMETER (4-layer)			UNIT







R_{JA}

--	--	--	--	--


--	--	--	--













































- 1.
- 2.
- 3.
- 4.
- 5.







Figure 1: Mechanical drawing of a package showing dimensions and views. The drawing includes a TOP VIEW, BOTTOM VIEW, SIDE VIEW, and INTENDED LAND PATTERN. Dimensions are in millimeters. The TOP VIEW shows a package with a length of 6.50 mm and a width of 5.23 mm. The BOTTOM VIEW shows a package with a length of 6.50 mm and a width of 5.44 mm. The SIDE VIEW shows a package with a height of 5.00 mm. The INTENDED LAND PATTERN shows a package with a length of 6.50 mm and a width of 5.23 mm. The drawing also includes a note: "ALL DIMENSIONS ARE IN MILLIMETERS." and a list of dimensions: 1) PACKAGE LENGTH DOES NOT INCLUDE MOLD FLASHES, 2) PACKAGE WIDTH DOES NOT INCLUDE MOLD FLASHES, 3) DRAWING CONFORMS TO JEDEC 0-25A, 4) DRAWING IS NOT TO SCALE.

- 
